



非限制性货物
Not subject to these
Regulations



货物运输条件鉴别报告书

Identification and Classification Report For Sea Transport of
Goods

报告编号 Report No.: S03A22110772H01501

物品名称: Name of Goods:	Aputure 方形全彩灯棒 INFINIBAR PB6 (内置锂离子聚合物电 组 YL 103492G-2S 7.4V 4000mAh 29.6Wh) Aputure square full color light stick INFINIBAR PB6 (Containing Li-ion Polymer Battery YL 103492G-2S 7.4V 4000mAh 29.6Wh)
委托单位: Applicant:	深圳市爱图仕影像器材有限公司 Aputure Imaging Industries Co., Ltd
签发日期: Issue Date:	2023-01-08

广东储能检测技术有限公司
Guangdong ESTL Technology Co., Ltd.



货物运输条件鉴别报告书

Identification and Classification Report For Sea Transport of Goods

委托单位 Applicant	深圳市爱图仕影像器材有限公司 Aputure Imaging Industries Co., Ltd
委托单位地址 Applicant Address	深圳市龙华和平西路部九窝龙军工业区 21 栋 3 楼 Floor 3 , Building 21, Longjun Industrial Zone, Longhua, Shenzhen , Guangdong Province. P.R. CHINA
生产单位 Manufacturer	东莞壹凌电子科技有限公司 Dongguan Yilink Electronic Technology Co.Ltd.
生产单位地址 Manufacture Address	东莞市凤岗镇塘沥村石碑路 A88 号华兆鑫工业园 D 栋六楼 6/F.Building D.Huazhaoxin Industrial Park, Shipai Road A88, Tangli Village, Fenggang Town, Dongguan City, China
物品信息 Nature of the goods	<p>该物品锂离子聚合物电池组 YL 103492G-2S, 装在设备中。</p> <p>This goods is Li-ion Polymer Battery YL 103492G-2S, in the equipment.</p> <p>规格参数/Specifications: 7.4V 4000mAh 29.6Wh</p> <p>电池尺寸/Battery Size: 191.4mm*33.9mm*9.1mm</p> <p>每包装件中电池/电芯数量/Number of batteries/cells per package: 6PCS</p> <p>每个包装件中电池(电芯)的净重/Battery(Cell) net quantity of per package: 760.7g</p> <p>每一包装件毛重/Gross weight of each package: 760.7g</p> <p>该电池的 UN38.3 检验报告由深圳安博检测股份有限公司提供。</p> <p>报告书编号为: 18270BC20239001。</p> <p>The battery UN38.3 inspection report by Shenzhen Anbotek Compliance Laboratory Limited. Report No.: 18270BC20239001.</p>
鉴别日期 Identification Date	2023-01-08
报告有效期 The period of validity	2023 年 01 月 08 日至 2023 年 12 月 31 日
鉴别依据 Identification Criteria	IMDG CODE(Amdt 40-20)
鉴别结论 Conclusion	<p>非限制性货物 Not subject to these Regulations</p> <p>根据 IMDG CODE 特殊规定 188 不受限制。</p> <p>Not Restricted As per IMDG CODE Special Provision 188.</p>
备注 Comment	<p>注: 电池或电芯必须加以保护, 防止短路, 设备必须采取措施防止意外启动。</p> <p>Note: Batteries or cells must be protected against short circuit, and measures must be taken to prevent accidental start-up of equipment.</p>
检测 Tested by	<p>审核 Reviewed by</p> <p>批准 Approved by</p> <p>报告专用章 Special Seal for Report</p> <p>Guangdong ESTL Technology Co., Ltd.</p> <p>3419820021010</p>

货物运输条件鉴别报告书

Identification and Classification Report For Sea Transport of Goods

项目编号 Item No.	S03A22110772H01501	
物品名称 Name of Goods	中文名称 Name of Chinese	Aputure 方形全彩灯棒 INFINIBAR PB6 (内置锂离子聚合物电池组 YL 103492G-2S 7.4V 4000mAh 29.6Wh)
	英文名称 Name of English	Aputure square full color light stick INFINIBAR PB6 (Containing Li-ion Polymer Battery YL 103492G-2S 7.4V 4000mAh 29.6Wh)
鉴别项目名称 Item	检查结果 Inspection Result	
该电池额定瓦特小时数为 29.6Wh。 Watt-hour rating of the battery is 29.6Wh.	≤100Wh	
锂电池已通过 UN38.3 测试。 Each battery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND CRITERIA, PartⅢ, sub-section 38.3.	符合 Conform	
电池按照规定的质量管理体系进行制造。 Batteries be manufactured under a quality management programme.	符合 Conform	
该锂电池不属于召回电池, 不属于废弃和回收电池。 The Lithium batteries do not belong to batteries returned to the manufacturer for safety reasons, are not waste lithium batteries and not lithium batteries being shipped for recycling or disposal.	符合 Conform	
通过包装件 1.2 米跌落试验。 Each package is capable of withstanding a 1.2m drop test in any orientation.	不适用 Not applicable	
包装件需要按照特殊规定 188 的要求进行适当标记。 The package must be appropriately marked according to special provision 188.	符合 Conform	
每票货物均有随附文件说明: 包装件内装锂离子电池或电芯; 必须小心操作。如包装件破损, 有易燃危险性; 包装件破损时应采取的特殊措施, 包括必要时的重新包装; 应急电话号码。 Each consignment is accompanied with a document with an indication that: the package contains lithium ion cells or batteries; the package must be handled with care, and that a flammability hazard exists if the package is damaged; special procedures should be followed in the event the package is damaged, to include inspection and repacking if necessary and a telephone number for additional information.	不适用 Not applicable	